




POLYLOK RISER BROCHURE

Frend J


Ba



12" POLYLOK RISERS



20" & 24" POLYLOK RISERS



$m m m \Lambda$ CAUTION: MAXIMUM RECOMMENDED HEIGHT FOR STACKING POLYLOK RISERS IS 60". $m m m \Lambda$

NOTE: When adding additional riser sections use a #10 x 1.5" stainless steel screw to fasten the sections together. ALL screws must be installed in each riser section and cover to ensure a watertight connection. In addition, the structural integrity of the risers is also dependent on the fact that all screws are installed properly. We recommend an alternate screw tightening pattern be used to ensure even pressure on the risers and cover. Failure to do this could cause the riser sections to compromise the seals and possibly fail.

12" Risers, Covers & Grates **Polylok Wastewater Accessories**







12" x 6" Riser 3017-R

12" ROUND RISER SERIES

Polylok's 12" x 6" riser comes with factory installed gaskets and can be placed anywhere in the riser stack. The structural ribs inside the riser and tear off ring on the ouside prevent frost from adhering to the riser.





1.5", 2", 3" & 4" 6" D-Box Seal D-Box Seal 3001-SN 3001-6



12" Flat Cover for Polylok **Risers & D-Boxes** 3017-C



12" Grate for Polylok **Risers & D-Boxes** 3017-GE



12" Heavy Duty Grate for Polylok **Risers & Corrugated Pipe** 3004-GR



12" Galvanized **Metal Grate** 3017-ME



12" Flat Cover for Polylok **Risers & Corrugated Pipe** 3004-C



12" x 12" Riser for **Polylok Catch Basins** PDB-12R

12" SQUARE RISER SERIES

Polylok's 12" x 12" square riser can be screwed together to create a water tight connection. They are light weight and simple to install while allowing easy access to grade.



12" x 12" Flat Cover 3016-DB12

12" x 12" Flat Grate PDB-12G (Black) PDB-12GG (Green)

12" x 12" Atrium Grate PDB-12AG (Black) PDB-12GG (Green)

12" x 12" Cast Iron Grate PDB-12GM

20" Risers, Covers & Grates Polylok Wastewater Accessories







20" x 2" Riser 3009-GR2



20" x 3" Riser / Riser Pan 3009-LPRP



20" x 6" Riser 3009

20" RISER & RISER PAN SERIES

Our 20" riser and riser pan series offers the greatest flexibility in reaching your desired stacking height. Whether it's 2 inches or 60 inches, we have the products you need. All of our Polylok risers and covers are made of high density polyethylene and are manufactured in the United States. If safety is a concern, all of our risers accept a Polylok safety screen to prevent unwanted access in the event the tank is accidently left open. Polylok covers and grates are made with the highest UV available to prevent fading. Need a watertight solution? Our risers and covers come with factory installed gaskets. If your application calls for a cover or grate, our 20" series offers many different options, including vented and insulated covers.



RISER ADAPTER RINGS

Our adapter rings allow you to retrofit existing septic tanks to accept Polylok risers or corrugated pipe.

See back cover for more information on adapter rings.



20" x 12" Riser 3009-R12



20" Riser Pan 3009-RP

Our 20" D-box will also accept Polylok 20" risers so you can easily bring your D-box to grade.

> 3017-20CG6 (6 Hole D-box) 3017-207G (7 Hole D-box)

3017-20CG (8 Hole D-box)



Stainless Steel Screws #10 x 1.5" Square Drive



20" Insulation for Polylok Covers 3009-IN/ 3009-INHD



20" Cover / Grate Options

20" Polylok Riser Cover 3009-RC



20" Flat Cover for Polylok Risers & D-Boxes 3017-C20



20" Activated Carbon Vented Covers 3009-ACC



20" Grate for Polylok Risers & D-Boxes 3017-G20

	a line a large a
TEE	6 .1

20" Galvanized Metal Grate 3017-ME20

24" Risers, Covers & Grates Polylok Wastewater Accessories





24" Cover / Grate Options



24" x 2" Riser 3008-GR2



24" x 3" Riser / Riser Pan 3008-RP



24" x 6" Riser 3008



24" x 12" Riser 3008-R12

24" RISER & RISER PAN SERIES

The Polylok 24" riser family offers similar stacking flexibility to our 12" and 20" risers. You can achieve any 2" increment by pairing our 2", 3", 6" or 12" risers to meet your specific height requirements. Our 3" riser/riser pan can be poured in place or used in the riser stack. With a focus on safety, all of our risers accept a Polylok safety screen to prevent unwanted access in the event the tank is left open. We offer a large selection of riser covers and grates to meet your desired application. Our covers are all made with the highest UV available and all of our risers and covers are manufactured in the USA.



RISER SAFETY DEVICES

Safety has become an area of focus in the wastewater industry. Many states are requiring secondary safety devices on all septic systems. Polylok has been a leader in developing these devices. Septic system companies typically suggest or use a concrete plug, but using plastic as a secondary layer of protection is also cost effective and easy to install. We offer several different styles to meet your specific needs. Riser safety screens work with our 12", 20" and 24" Polylok risers. 24" Universal Safety Screens work with PVC ribbed pipe, HDPE corrugated pipe and concrete risers. The Lid-Lok Safety Device works with our 20" and 24" riser covers. We also offer a 20" Dual Safety Cover for the 24" riser pan. These secondary safety devices can prevent tragic accidents. They are inexpensive, easy to install, and your customers will thank you!

See back cover for more information on safety devices.



24" Grate for Polylok Risers & Corrugated Pipe 3008-G24



Our 24" custom riser basin system is perfect for installing an effluent



24" Insulation for Polylok Covers 3008-IN/ -INHD/ -INWT





